									Sheet 1 of
Based on Form PTO-1449 (3/90)				ATTY. DOCKET NO.		SERIAL NO.			
				678503-2001.	10/697,535				
PE	LIST OF	REFERENCES CITED BY APP	LICANT		APPLICANT				
	3	(Use several sheets if necessary)				Curi	el et al.		
OFT 0 7 7004	制				FILING DATE		GROUP	1633	
	\$				October 30, 20	03		1635	
TATATRATE		······································		U.S. PAT	ENT DOCUMENTS		····		
EXAMINER INITIAL		DOCUMENT NUMBER	DATE		NAME	CLASS	SUBCLASS		G DATE OPRIATE
SDP	АЛ	5,801,029	09/1998	McCorr	nick	435	172.3		
1	AB	5,846,782	12/1998	Wickha	m et al.	435	679		
V	AC	6,096,718	08/2000	Weitzm	an et al.	514	44		
			FC	OREIGN P	ATENT DOCUMENTS				
		DOCUMENT NUMBER	DATE		COUNTRY	CLASS	SUBCLASS	TRANS	SLATION
SDP	۸D	WO-96/17053	06/1996	per	WIPO		-		
l r	ΛE	WO-96/34969	11/1996	Pet	WIPO				
		0.	THER PRIOR ART	r (Includin	g Author, Title, Date, Pertinent Pag	ges, Etc.)			
. SDP	۸F	Alemany et al., "C	AR-binding abla	ition does	not change biodistribution and	toxicity of ade	enovirus vectors," 20	01, Gene Th	егару 8:
	۸G	1 1	Alemany, R., et al., "Gene Therapy for Gliomas: Molecular Targets, Adenoviral Vectors, and Oncolytic Adenoviruses." Exp. Cell. Res., 252: 1-12, 1999						
	ΛH	Alemany, R., et al. 1996	Alemany, R., et al., "Growth inhibitory effect of anti-K-ras adenovirus on lung cancer cells," Cancer Gene Therapy, 3(5): 296-301,						
	Al	1 1	Amalfitano, A., et al., "Improved adenovirus packaging cell lines to support the growth of replication-defective gene-delivery vectors." Proc Natl Acad Sci USA, 93: 3352-6, 1996						
	ίγ	Anderson, W.F., "	Anderson, W.F., "Human Gene Therapy," Nature, 392: p. 25-30, 1998						
	٨K	Arap, W., et al., "C	Arap, W., et al., "Cancer Treatment by Targeted Drug Delivery to Tumor Vasculature in a Mouse Model," Science, 279: 377-80, 1998						
	۸L	Babiss et al., "Cell	Babiss et al., "Cellular Promoters Incorporated into the Adenovirus Genome," 1987, J. Mol. Biol., Vol. 193: 643-650						
	АМ		Bangma, C.H., et al., "Free Serum Prostate-Specific Antigen and Screening for Prostate Cancer," JAMA. 275(11): 837-8, 1996						
	۸N		Bergelson, J.M., et al., "Isolation of a Common Receptor for Coxsackie B Viruses and Adenoviruses 2 and 5," Science, 275: 1320-3,						
	ΛО	Bischoff, J. R., et a 376, 1996	Bischoff, J. R., et al., "An Adenovirus Mutant That Replicates Selectively in p53-Deficient Human Tumor Cells," Science, 274: 373-						
	ΛP	1 1	Blackwell, J., et al., "Retargeting to EGFR Enhances Adenovirus Infection Efficiency of Squamous Cell Carcinoma," Arch. Otolaryngol. Head Neck Surg., 125: 856-863, 1999						
	۸Q	Curbone, F.R., et a	Curbone, F.R., et al., "Cross-presentation: A General Mechanism For CTL Immunity and Tolerance," Immunol. Today, 19(8): 368-73,						
	ΛR		Chartier, C., et al., "Efficient Generation of Recombinant Adenovirus Vectors by Homologous Recombination in Escherichia coli," J. Virol., 70(7): 4805-10, 1996						
	AS		Cook, D.R., et al., "Gene Therapy for B-cell Lymphoma in a SCID Mouse Model using an Immunoglobulin-Regulated Diphtheria Toxin Gene Delivered by a Novel Adenovirus-Polylysine Conjugate," Cancer Biother., 9(2): p. 131-41, 1994						
	ΛT	Curiel, "Strategies	to Adapt Adeno	viral Vect	ors for Targeted Delivery," Ar	nals New York	Academy of Science	886: cs _{i A} 158-171	1999
	ΛU	Dachs et al., "Targ	Dachs et al., "Targeting gene therapy to cancer: A Review," Oncology Res., Vol. 9: 313-325 , 1997						
V	۸V	Deng, Y., et al., "A	Deng, Y., et al., "MHC Affinity, Peptide Liberation, T Cell Repertoire, and Immunodominance All Contribute to the Paucity of MHC Class I-Restricted Peptides Recognized by Antiviral CTL," J. Immunol., 158: 1507-15, 1997						

SDP	۸W	Dion, L.D., et al., "EIA RNA transcripts amplify adenovirus-mediated tumor reduction," Gene Therapy, 3: 1021-5, 1996
	AX.	Dion, L.D., et al., "Quantitative and in vivo activity of adenoviral-producing cells made by cotransduction of a replication-defective adenovirus and a replication-enabling plasmid," Cancer Gene Therapy, 3(4): 230-7, 1996
	AY	Dmitriev, I., et al., "An Adenovirus Vector with Genetically Modified Fibers Demonstrates Expanded Tropism via Utilization of a Coxsackievirus and Adenovirus Receptor-Independent Cell Entry Mechanism," J. Virol., 72(12): 9706-13, 1998
	ΛZ	Dobner, T., et al., "Blockage by Adenovirus E4orf6 of Transcriptional Activation by the p53 Tumor Suppressor," Science, 272: 1470-3, 1996
	ВА	Eck et al., "Gene-based therapy," Goodman & Gilman's The Pharmacological Basis of Therapeutics-Ninth Edition, McGraw-Hill:77-101
	BB	Eustace, D., et al., "Interleukin-6 (IL-6) Functions as an Autocrine Growth Factor in Cervical Carcinomas in Vitro," Gynecol. Oncol., 50: 15-19, 1993
	вс	Fallaux, F.J., et al., "New Helper Cells and Matched Early Region 1-Deleted Adenovirus Vectors Prevent Generation of Replication-Competent Adenoviruses," Human Gene Therapy, 9: 1909-17, 1998
	BD	Fechner, H., et al., "Expression of Coxsackie adenovirus receptor and alphav-integrin does not correlate with adenovector targeting in vivo indicating anatomical vector barriers," Gene Therapy, 6: 1520-1535, 1999
	BE	Ferrin, L.J., "Manipulating and Mapping DNA with RecA-Assisted Restriction Endonuclease (RARE) Cleavage," Genet. Eng., 17: 21-30, 1995
	BF	Fox, "Investigation of gene therapy begins", 2000, Nature Biotechnology, vol. 18: 143-144
	BG	Freytag, S.O., et al., "A Novel Three-Pronged Approach to Kill Cancer Cells Selectively: Concomitant Viral, Double Suicide Gene, and Radiotherapy," Human Gene Therapy, 9: 1323-1333, 1998
	. вн	Fueyo, J., et al., "A mutant oncolytic adenovirus targeting the Rb pathway produces anti-glioma effect in vivo," Oncogene, 19: 2-12, 2000
•	Bt	Garver R., Jr., et al., "Strategy for achieving selective killing of carcinomas," Gene Therapy, 1: 46-50, 1994
	Вл	Goldman, C.K., et al., "Targeted Gene Delivery to Kaposi's Sarcoma Cells via the Fibroblast Growth Factor Receptor," Cancer Res., 57: 1447-51, 1997
	ВК	Goldsmith, K.T., et al., "Trans Complementation of an EIA-Deleted Adenovirus with Codelivered EIA Sequences to Make Recombinant Adenoviral Producer Cells," Human Gene Therapy, 5: 1341-8, 1994
	BL	Goldsmith, K.T., et al., "trans E1 Component Requirements for Maximal Replication of E1-Defective Recombinant Adenovirus." Virology, 248: 406-19, 1998
	ВМ	Gomez-Manzano, C., et al., "Adenovirus-mediated Transfer of the p53 Gene Produces Rapid and Generalized Death of Human Glioma Cells via Apoptosis," Cancer Res., 56: 694-9, 1996
	ВМ	Goodrum, F.D., et al., D.A., "p53 Status Does Not Determine Outcome of E1B 55-Kilodalton Mutant Adenovirus Lytic Infection," J. Virol., 72(12): p. 9479-90, 1998
	ВО	Gotoh, A., et al., "Development Of Prostate-Specific Antigen Promoter-Based Gene Therapy For Androgen-Independent Human Prostate Cancer," J. Urol., 160: 220-9, 1998
	ВР	Hall, A.R., et al., "p53-dependent cell death/apoptosis is required for a productive adenovirus infection," Nat. Med., 4(9): 1068-72, 1998
	BQ	Hardy, S., et al, "Construction of Adenovirus Vectors through Cre-lox Recombination," J. Virol., 71(3): 1842-1849, 1997
	BR	Heise, C., et al., "ONYX-015, an E1B gene-attenuated adenovirus, causes tumor-specific cytolysis and antitumoral efficacy that can be augmented by standard chemotherapeutic agents." Nat. Med., 3: 639-645, 1997
	BS	Heise, C.C., et al., "Efficacy of a replication-competent adenovirus (ONYX-015) following intratumoral injection: Intratumoral spread and distribution effects," Cancer Gene Therapy, 6: 499-504, 1996
	ВТ	Hemmi, S., et al., "The Presence of Human Coxsackievirus and Adenovirus Receptor Is Associated with Efficient Adenovirus-Mediated Transgene Expression in Human Melanoma Cell Cultures," Human Gene Therapy, 9: 2363-73, 1998
	BU	Hofmann, C., et al., "Ovine Adenovirus Vectors Overcome Preexisting Humoral Immunity against Human Adenoviruses In Vivo," J. Virol., 73: 6930-36, 1999
	BV	Kasono, K., et al., "Selective Gene Delivery to Head and Neck Cancer Cells via an Integrin Targeted Adenoviral Vector," Clin. Cancer Res., 5: 2571-2579, 1999
<u> </u>	вw	Kim, D., et al., "ONYX-015: Clinical data are encouraging," Nat. Med., 4(12): 1341-2, 1998

. Svott D. Priche

7/7/05

50V	вх	Kirn, D., et al., "Replicating Viruses as Selective Cancer Therapeutics," Mol. Med. Today, 2(12): 519-27, 1996
4	BY	Koivunen, E., et al., "Identification of Receptor Ligands with Phage Display Peptide Libraries," J. Nucl. Med., 40: 883-888, 1999
	nz	Kong, B., et al., "IL-6 Antisense-Mediated Growth Inhibition of a Choriocarcinoma Cell Line: An Intracellular Autocrine Growth Mechanism," Gynecol. Oncol., 63: 78-84, 1996
	CA	Krasnykh, V., et al., "Characterization of an Adenovirus Vector Containing a Heterologous Peptide Epitope in the HI Loop of the Fiber Know," J. Virol., 72(3): 1844-52, 1998
	СВ	Krasnykh, V., et al., "Generation of Recombinant Adenovirus Vectors with Modified Fibers for Altering Viral Tropism," J. Virol., 76 6839-6846, 1996
	СС	Kremer, E. J., et al., "Canine Adenovirus Vectors: an Alternative for Adenovirus-Mediated Gene Transfer," J. Virol., 74: 505-512. 2000
	CD	Laquerre et al., "Recombinant Herpes Simplex Virus Type I Engineered for Targeted Binding to Erythropoietin Receptor-Bearing Cells," 1998, Journal of Virology, Vol. 72, No. 12:9683-9697
	CE	Leissner et al., "Influence of adenoviral fiber mutations on viral encapsidation, infectivity and in vivo tropism," 2001, Gene Therapy 49-57
	CF	Miller, C.R., et al., "Differential Susceptibility of Primary and Established Human Glioma Cells to Adenovirus Infection: Targeting of the Epidermal Growth Factor Receptor Achieves Fiber Receptor-independent Gene Transfer," Cancer Res., 58: 5738-48, 1998
	CG	Mittereder, N., et al., "Evaluation of the Concentration and Bioactivity of Adenovirus Vectors for Gene Therapy," J. Virology, 70(11 7498-509, 1996
	СН	Moolten, F.L., "Drug Sensitivity ("suicide") genes for selective cancer chemotherapy," Cancer Gene Therapy, 1(4): p. 279-87, 1994
	CI	Moran, E., "Interaction of adenoviral proteins with pRB and pS3," Fascb J, 7: 880-5, 1993
	CI	Murray, E.J., et al., "Sequences and Factors Required for the F9 Embryonal Carcinoma Stem Cell Ela-Like Activity," Mol. Cell Bio 11(11): 5534-40, 1991
	СК	Nelson, J.E., et al., "Persistence of Recombinant Adenovirus In Vivo Is Not Dependent on Vector DNA Replication," J. Virol., 71(1 8902-7, 1997
	CL	O'Riordan, C., et al., "PEGylation of Adenovirus with Retention of Infectivity and Protection from Neutralizing Antibody in Vitro a in Vivo," Human Gene Therapy, 10: 1349-1358, 1999
_ -	СМ	Paillard, F., "The Search For The "Best" Cytokine To Induce Antitumor Immunity," Hum Gene Therapy. 9: 2457-8, 1998
	. CN	Pasqualini, R., et al., "av Integrins as receptors for tumor targeting by circulating ligands," Nat. Biotechnol., 15: 542-6, 1997
	СО	Peng et al., "Viral vector targeting," 1999, Current Opinion in Biotechnology, 10: 454-457
	СР	Raben, D., et al., "Enhancement of radiolabeled antibody binding and tumor localization through adenoviral transduction of the hum carcinoembryonic antigen gene," Gene Therapy, 3: 567-80, 1996
	СQ	Rajotte, Molecular Heterogeneity of the Vascular Endothelium Revealed by in Vivo Phage Display," 1998, J. Clin. Invest. Vol. 102: 430-437
	CR	Rasmussen, et al., "Matrix Metalloproteinase Inhibition as a Novel Anticancer Strategy: A Review with Special Focus on Batimastat and Marimastat," Pharmacol Ther., 75(1): 69-75, 1997
	cs	Rodriguez, R., et al., "Prostate Attenuated Replication Competent Adenovirus (ARCA) CN706: A Selective Cytotoxic for Prostate-specific Antigen-positive Prostate Cancer Cells," Cancer Res., 57(13): 2559-63, 1997
	СТ	Roclvink, P. W., et al., "Identification of a Conserved Receptor-Binding Site on the Fiber Proteins of CAR-Recognizing Adenoviridae," Science, 286: 1568-1571, 1999
	CU	Roclvink et al., "The coxsachievirus-adenovirus receptor protein can function as a cellular attachment protein for adenovirus serotyp from subgroups A, C, D, E, and F," J. Virol., Vol. 72(10): 7909-7915 \ Oct. 1998.
	CV	Rokhlin, O.W., et al., "Expression of Cellular Adhesion Molecules on Human Prostate Tumor Cell Lines," Prostate, 26: 205-212, 19
T	cw	Roth, J., et al., "Gene Therapy for Cancer: What Have We Done and Where Are We Going?," J. Natl Cancer Inst., 89(1): 21-39, 199
	сх	Rothmann, T., et al., "Replication of ONYX-015, a Potential Anticancer Adenovirus, Is Independent of p53 Status in Tumor Cells," Virol., 72(12): 9470-8, 1998
1, 1	CY	Russell, S.J., "Replicating vectors for cancer therapy: a question of strategy," Semin. Cancer Biol., 5: 437-43, 1994
W/	CZ	Sandhu et al., "Human Gene Therapy," Critical Reviews in Biotechnol., Vol. 17(4): 307-326 / 997

Sitt D. Prick

7/7/05

5DP	DA	Scaria, A., et al., "Complementation of a human adenovirus early region 4 deletion mutant in 293 cells using adenovirus polylysine- DNA complexes," Gene Therapy, 2: 295-8, 1995
	DB	Schreiber, H., "Tumor Immunology," Fundamental Immunology. Fourth Edition, W.E. Paul. Editor. 1999, Lippincott-Raven Publishers: Philadelphia. p. 1237-1270
	DC	Schuepbach, J., et al., "Inverse Correlation of Antiviral Antibody Titers and the Remission Length in Patients Treated with Viral Oncolysate: A Possible New Prognostic Sign in Acute Myelogenous Leukemia," Cancer, 48: 1363-7, 1981
	DD	Shi, Q., et al., "Modulation of the Specificity and Activity of a Cellular Promoter in an Adenoviral Vector," Human Gene Therapy, 8: 403-10, 1997
	DE	Shinoura, N., et al., "Highly Augmented Cytopathic Effect of a Fiber-mutant E1B-defective Adenovirus for Gene Therapy of Gliomas," Cancer Res., 59: 3411-3406, 1999
	DF	Sinkovics, J., et al., "New Developments in the Virus Therapy of Cancer: A Historical Review," Intervirology, 36: 193-214, 1993
7	DG	Spergel, J., et al., "Interleukin 6 enhances a cellular activity that functionally substitutes for E1A protein in transactivation," Proc Natl Acad Sci USA, 88: 6472-6, 1991
	DH	Stevenson, S., et al., "Human Adenovirus Scrotypes 3 and 5 Bind to Two Different Cellular Receptors via the Fiber Head Domain." J. Virol., 69: 2850-2857, 1995
	Di ·	Takenawa, J., et al., "Enhanced Expression of Interleukin-6 in Primary Human Renal Cell Carcinomas," J Natl Cancer Inst. 83(22): 1668-72, 1991
	L/J	Tanaka, T., et al., "Viral Vector-targeted Antiangiogenic Gene Therapy Utilizing an Angiostatin Complementary DNA," Cancer Res., 58: 3362-9, 1998
	ÐK	Todo, T., et al., "Systemic Antitumor Immunity in Experimental Brain Tumor Therapy Using a Multimutated, Replication-Competent herpes Simplex Virus," Human Gene Therapy, 10: 2741-2755, 1999
	DL	Urban, J.L., et al., "Stepwise Immunologic Selection of Antigenic Variants During Tumor Growth." J. Immunology, 137(9): 3036-41, 1986
	DM	Vanderkwaak et al., "Adenovirus with RGD-modified fiber demonstrates improved gene transfer into ovarian carcinoma cell lines and ovarian primary tumors," Gynecologic Oncology, Vol. 72(3): 505, Mar. 1999
	DN	Von Seggern et al., "Adenovirus Vector Pseudotyping in Fiber-Expressing Cell Lines: Improved Transduction of Epstein-Barr Virus-Transformed B Cells," J. Virol., 74: 354-362, 2000
	DO	Wickham, T., et al., "Increased In Vitro and In Vivo Gene Transfer by Adenovirus Vectors Containing Chimeric Fiber Proteins," J. Virol., 71(11): p. 8221-9, 1997
	DP	Wildner, O., et al., "Adenoviral vectors capable of replication improve the efficacy of HSVtk/GCV suicide gene therapy of cancer," Gene Therapy, 6: 57-62, 1999
	DQ	Wildner, O., et al., "Therapy of Colon Cancer with Oncolytic Adenovirus Is Enhanced by the Addition of Herpes Simplex Virus- thymidine kinase," Cancer Res., 59: 410-413, 1999
	DR	Worgall, S., et al., "Innate Immune Mechanisms Dominate Elimination of Adenoviral Vectors Following In Vivo Administration." Human Gene Therapy, 8: 37-44, 1997
	DS	Xia, et al., "Structure of the Receptor Binding Domain of Adenovirus Type 5 Fiber Protein," Curr. Top. Microbiol. Immunol., 199 (1): 39-46, 1995
	DT ·	Yang, Y., et al., "Recombinant IL-12 prevents formation of blocking IgA antibodies to recombinant adenovirus and allows repeated gene therapy to mouse lung," Nat. Med., 1: 890-893, 1995
	เวบ	Yeh, P., et al., "M., Advances in adenoviral vectors: from genetic engineering to their biology." FASEB J, 11: 615-23, 1997
	DV	Yoshida, Y., et al., "Generation of Fiber-Mutant Recombinant Adenoviruses for Gene Therapy of Malignant Glioma," Human Gene Therapy, 9: 2503-15, 1998
	DW	Yu. D. C., et al., "Identification of the Transcriptional Regulatory Sequences of Human Kallikrein 2 and Their Use in the Construction of Calydon Virus 764, an Attenuated Replication Competent Adenovirus for Prostate Cancer Therapy", Cancer Res., 59: 1498-1504, 1999
	DX	Yu, D., et al., "Enhanced c-erbB-2/neu Expression in Human Ovarian Cancer Cells Correlates with More Severe Malignancy that can be Suppressed by E1A", Cancer Res., 53: 891-8, 1993
	DY	Zhang, J., et al., "Vectors For Cancer Gene Therapy," Cancer Metastasis Rev., 15: 385-401, 1996
	DZ	Zheng, D. Q., et al., "Prostatic Carcinoma Cell Migration via ανβ3 Integrin, Is Modulated by a Focal Adhesion Kinase Pathway." Cancer Res., 59: 1655-1664, 1999

00223091 Swott D. Pricke

7/7/05

SDP	EB	Forsythe JA, et al., "Activation of vascular endothelial growth factor gene transcription by hypoxia-inducible factor 1," Mol Cell Biol. 1996 Sep;16(9):4604-13	
	EC	He TC, et al., "A simplified system for generating recombinant adenoviruses," Proc Natl Acad Sci U S A. 1998 Mar 3;95(5):2509-14	
	£D	Ohta Y, et al., "Significance of vascular endothelial growth factor messenger RNA expression in primary lung cancer," Clin Cancer Res. 1996 Aug;2(8):1411-6	
	CE	Shinoura N, ct al., "Highly augmented cytopathic effect of a fiber-mutant E1B-defective adenovirus for gene therapy of gliomas," Cancer Res. 1999 Jul 15;59(14):3411-6	
	EF	Suzuki K, et al., "A conditionally replicative adenovirus with enhanced infectivity shows improved oncolytic potency." Clin Cancer Res. 2001 Jan;7(1):120-6	
4	F.G	Takayama K, et al., "The levels of integrin alpha v beta 5 may predict the susceptibility to adenovirus-mediated gene transfer in human lung cancer cells," Gene Ther. 1998 Mar;5(3):361-8	
	ЕН	Takayama K, et al., "Suppression of tumor angiogenesis and growth by gene transfer of a soluble form of vascular endothelial growth factor receptor into a remote organ," Cancer Res. 2000 Apr 15;60(8):2169-77	
EXAMINER	Sv	Att D. Prohe 7/7/05	
A CV A MINED	. Indicate Construction	the considered whether or not citation is in conformance with MDEP 609. Draw line through	

^{*} EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.